

面包类生产线 - 切捏一体面包生产线

Bread production line - cutting and kneading integrated bread production line

每小时产能款: 1800~6000个 (视产品大小而定)
Hourly production capacity: 1800~6000 units (depending on product size)



产品特点 PRODUCT FEATURES

可生产奶黄面包、菠萝包、包点汉堡包、毛毛虫面包、法式小面包等。完全实现现代化人机界面操控。可高速运转，最高产能，并具备实时精准。客户可定制1拖二、一拖四或兼具两者一体的方案。切割刀宽120-600mm可设定切割长度且具备可调生产型号面包。

We can produce milk flavored bread, loaf seed buns, jam buns, stuffed hamburgers, caterpillar buns, pineapple buns, French buns, and more. fully achieve modern human-machine interface control. It can operate at high speed, increase production capacity, and maintain relative precision. Customer can customize 1 drag 2, 1 drag 4, or other 1 drag multiple solutions. The roller width can be customized from 120-600mm, and the cutting length can be set to match the mold to produce various types of bread.

道斯志远 创新致存

技术参数 TECHNICAL PARAMETERS

外形尺寸 Overall dimensions	14145 x 1615 x 1650mm (L x W x H)
电机功率 Power information	220V/380V/13.9KW
生产量级 Production Energy Efficiency	1800~6000个/小时 (视产品大小而定) 1800~6000PCS/H (According to product)
重量 Weight	约 2530kg
外观材质 Appearance material	不锈钢 Stainless steel



酥皮类生产线 - 酥饼线

Crispy pastry production line - pastry line

每小时产能数: 3000/10000 个 (视产品大小而定)
Hourly production capacity: 3000-10000 units (depending on product size)



产品特点

PRODUCT FEATURES

- 该系列配套产品采用进口电气元件和变频 PLC 调速制造，故障低，机械稳定耐用。
- 适用于糕饼生产厂家，生产不同地区特色的酥饼
可以加配拼接选装，满足不同地区特色酥饼生产。
- 主要用于蛋黄酥、葡酥饼、绿豆饼、老酥饼、流心酥、金华酥饼、黄山烧饼、薄饼、芝麻饼、太阳饼等。
- This series of supporting products are manufactured using imported electrical components and variable frequency PLC speed control, with low faults and stable and durable machinery.
- Suitable for pastry manufacturers to produce pastries with different regional characteristics
It can be easily spliced and selected, following the diversified production needs of customers to produce products.
- It is mainly used for egg yolk cakes, durian cakes, mung bean cakes, wife cakes, flowing heart cakes, lnhua cakes, Miumi Huangshan Shaoqing (Baked cake in griddle), pancakes, sesame cakes, sun cakes, etc.

技术参数

TECHNICAL PARAMETER

外形尺寸 Overall dimensions	15400 × 1620 × 1640mm (L×W×H)
电力信息 Power information	220V/13.5KW
生产能效 Production Energy Efficiency	3000-10000 个每小时 (视产品大小而定) 3000-10000PCS/H (According to product)
重量 Weight	约 2420kg
外观材质 Appearance material	不锈钢 Stainless steel

酥皮类生产线 - 酥皮线

Crispy Product Line - Crispy Line



产品特点

- 该系列酥皮产品采用进口电气元件和变频 PLC 调速驱动，故障率低，机械稳定耐用，全电脑参数控制，操作界面简单易懂类似手工操作，对产品质量易于控制，可根据用户需求定制设备，客户可选择立式或卧式包装机。
- 可高速运转，提高产能，并保持稳定。
- This series of supporting products are manufactured using imported electrical components and variable frequency PLC speed control, with low faults and stable and durable machinery. Customers can choose to equip vertical or horizontal filling machines. Capacity: 50-150 units/minute. It can produce products such as mung bean cakes and wife cakes. The pitch length can be set.
- Can operate at high speed, increase production capacity, and maintain stability.

技术参数

外形尺寸 Overall dimensions	6950 × 1620 × 1640mm (L×W×H)
电力规格 Power information	220V/5.5KW
生产能力 Production Capacity	3000-9600 个/小时 (视产品大小而定) (According to product)
重量 Weight	约 1030kg
外观材质 Appearance material	不锈钢 Stainless steel

遵制志远 创新致序

酥皮类生产线 - 三道轮薄酥饼线

Crispy pastry production line - three wheel thin pastry line



产品特点

- 该系列酥皮产品采用进口电气元件和变频 PLC 调速驱动，故障率低，机械稳定耐用，全电脑参数控制，操作界面简单易懂类似手工操作，对产品质量易于控制，可根据用户需求定制设备，客户可选择立式或卧式包装机。
- 可高速运转，提高产能，并保持稳定。
- This series of supporting products are manufactured using imported electrical components and variable frequency PLC speed control, with low faults and stable and durable machinery. Fully computerized parameter management, simple and easy to operate, without requiring the professional. Equipment can be customized according to user's needs. Customer can choose to equip vertical or horizontal filling machines. Capacity: 10-30 units/minute. Can be rolled within 180mm. Can operate at high speed, increase production capacity, and maintain stability.

技术参数

外形尺寸 Overall dimensions	8250 × 1620 × 1640mm (L×W×H)
电力规格 Power information	220V/7.2KW
生产能力 Production Capacity	60-6000 个/小时 (视产品大小而定) (According to product)
重量 Weight	约 1200kg
外观材质 Appearance material	不锈钢 Stainless steel



月饼类生产线 -178 月饼成型线

Mooncake Production Line -178 Mooncake Forming Line

每小时产能: 1200~6000个 (视产品大小而定)
Hourly production capacity: 1200~6000 units (depending on product size)



产品特点

PRODUCT FEATURES

外形尺寸 / Overall dimensions	6980mm×1620mm×1640mm (L×W×H)
电力信息 / Power information	220V / 5.4KW
产能能效 / Production Energy Efficiency	1200~6000个 / 小时 (视产品大小而定) / 1200~6000PCS / H (According to product)
重量 / Weight	约 1230kg
外观材质 / Appearance material	不锈钢 / Stainless steel

通动志远 创新求存

自动面团生产线

Automatic dough production line

面团分割机 / Dough divider



面团分割机 / Dough divider

面团分割机 / Dough divider



面团分割机 / Dough divider

面团高速排盘机 / Dough high speed platter



技术参数

TECHNICAL PARAMETER

外形尺寸 / Overall dimensions	2635×2465×1950mm (L×W×H)
电力信息 / Power information	220V/380V/3.4KW
产能能效 / Production Energy Efficiency	8000个 / 小时 (视产品大小而定) / 8000PCS / H (According to product)
重量 / Weight	约 890kg
外观材质 / Appearance material	不锈钢 / Stainless steel


挞皮成型机

Tart skin forming machine

产品特点

1. 采用人机界面触控面板，操作简单，每小时可成型 1500-1800 个。
2. 适合大量生产，节省人力，降低成本。
3. 操作简单，符合安全的使用要求。
4. 性能卓越，符合国际认证标准，迅速成型之生产线运作。
5. 体积小，不空位，占地面积，清洁保养容易。

1. Man-machine interface touch panel, easy to operate. Suitable for mass production, saving labor and reducing cost.
2. Suitable for large production, saving labor and reducing cost.
3. The operation is simple and meets the requirements of safe use.
4. Excellent performance, the mold can meet the special custom rapid shaping of the production line operation.
5. Small size, no space, excellent performance, easy to clean and maintain.



外形尺寸/Overall dimensions	690-840x1450mm (LxWxH)
电力信息/Power information	220V 50/60Hz
生产效率/Production Energy Efficiency	25-30个/分钟 (即产品大小而定)
重量/Weight	约 115kg
外观材质/Appearance material	不锈钢/ Stainless steel

自动挞皮成型机-旋转落杯

Automatic tart skin forming machine-rotating falling cup



外形尺寸/Overall dimensions	920x860x1830mm (LxWxH)
电力信息/Power information	220V 50/60Hz
生产效率/Production Energy Efficiency	25-30个/分钟 (即产品大小而定)
重量/Weight	约 175kg
外观材质/Appearance material	不锈钢/ Stainless steel



产品特点

1. PLC 程式控制，每小时可成型 1500-1800 个。
2. 采用人机界面触控面板，操作简单。
3. 适合大量生产，节省人力，降低成本。
4. 性能卓越，符合国际认证标准，迅速成型之生产线运作。
5. 可搭配自动下料，节省人力，降低人工成本。
6. 适合大量生产，节省人力，降低人工成本。

1. PLC program control, forming per hour 1500-1800.
2. Man-machine interface touch panel, easy to operate.
3. Easy to change the mold, suitable for a variety of models of production, a wide range of uses.
4. Excellent performance, easy to clean and maintain, is the most economical good helper to make money.
5. It can be used with automatic blanking, automatic cup feeding, and rapid molding production line operation.
6. Suitable for mass production, saving labor, reduce labor cost.

自动挞皮成型机-自动落杯

Automatic tart skin forming machine-automatic cup drop

产品特点

1. PLC 程式控制，每小时可成型 1500-1800 个。
2. 采用人机界面触控面板，操作简单。
3. 适合大量生产，节省人力，降低人工成本。
4. 性能卓越，清洁保养容易，是最经济实惠的赚钱好帮手。
5. 可搭配自动下料，配合本机自动入杯，迅速成型之生产线运作。
6. 适合大量生产，节省人力，降低人工成本。

1. PLC program control, forming 1500-1800 per hour.
2. Man-machine interface touch panel, easy to operate.
3. Easy to change the mold, suitable for a wide range of uses.
4. Excellent performance, easy to clean and maintain, is the most economical good helper to make money.
5. It can be used with automatic blanking, automatic cup feeding, and rapid molding production line operation.
6. Suitable for mass production, saving labor, reduce labor costs.



自动落杯机构



外形尺寸/Overall dimensions	1840x7700x1580mm (LxWxH)
电力信息/Power information	220V 50/60Hz
生产效率/Production Energy Efficiency	25-30个/分钟 (即产品大小而定)
重量/Weight	约 265kg
外观材质/Appearance material	不锈钢/ Stainless steel

挞皮成型机-桌上款

Tart skin forming machine-table style

产品特点

1. 微电子控制成型一个3秒，每小时产量约900个。
2. 桌上型产品，操作简单准确，快速、安全、轻巧。
3. 换模容易，产品能多样变化传统挞、葡式蛋挞及其它类型之挞皮产品。
4. 体积小，占地面积，清洁保养容易，成本低。最经济实惠的赚钱好帮手。

1. Microelectronic control molding a 3-second, hourly output of about 900.
2. Table-top products, simple and accurate operation, fast, safe, light weight.
3. Easy to change the mold, the product can be a variety of traditional egg tart, Portuguese egg tart and other types of products to be printed.
4. Small size, no space, easy to clean and maintain, low-cost, the most easy, the most economical money-making good helper



外形尺寸/Overall dimensions	400x230x620mm (LxWxH)
电力信息/Power information	220V
生产效率/Production Energy Efficiency	15个/分钟 (即产品大小而定)
重量/Weight	约 31kg
外观材质/Appearance material	不锈钢/ Stainless steel

速冻类生产线 - 全自动仿手工包子生产线

Quick Frozen Production Line - Fully Automatic Handmade Baozi Production Line



产品特点 / PRODUCT FEATURES

该系列设备采用进口电气元件及德国 PLC 控制系统，故障率低，使用寿命长。采用变频调速，操作过程简单易懂，突出手工操作。The series of supporting products using imported electrical components and frequency conversion PLC speed regulation manufacturing, low failure, mechanical stability and durability. All computer parameter management, the operation method is simple and easy to understand, similar to manual rolling.

技术参数表 / TECHNICAL PARAMETER

外形尺寸 Overall dimensions	22473 x 3211 x 1900mm (L x W x H)
电力规格 Power information	220V/380V/25.9kW
生产效率 Production Energy Efficiency	1800-5400 个/小时 (即产量大小根据) 1800-5400PCS/H (According to product)
重量 Weight	约 2270kg
外观材质 Appearance material	不锈钢 Stainless steel



速冻类生产线 - 饺子成型线

Quick Frozen Production Line - Dumpling Forming Line



产品特点 PRODUCT FEATURES

外形尺寸 Overall dimensions 总功率 Total Power 生产能力 Production Capacity 生产率 Production Efficiency 重量 Weight 外观材质 Appearance material	5740×1650×1880mm (L×W×H) 220V/5.5kW 3000~9600 个/小时 (视产品大小而定) 3000~9600PCS/H (According to product) 约 2000kg 不锈钢 Stainless steel
--	---

道勤志远 创新求存

速冻类生产线 - 小龙汤包 / 生煎包 / 糯米烧麦成型线

Quick-frozen production line - Xiao Long soup/Sheng Jian Bao/glutinous rice shaomai molding line



产品特点 PRODUCT FEATURES

外形尺寸 Overall dimensions 总功率 Total Power 生产能力 Production Capacity 生产率 Production Efficiency 重量 Weight 外观材质 Appearance material	5370×1615×1650mm (L×W×H) 220V/5.5kW 1000~5000 个/小时 (视产品大小而定) 1000~5000PCS/H (According to product) 约 1300kg 不锈钢 Stainless steel
--	---

道勤志远 创新求存



三道轮主机-圆输送带款

Three main wheel-round conveyor



产品特点

1. 三道轮主机可配合其它设备生产各种型酥软面包食品。将预制的圆皮，经两次压面整形刀斩，卷制后输送到后端设备。

2. 采用多项先进技术融合了光电感应、电磁感应、人机界面、微电脑编程、在线控米等，自动化程度高。

3. 多道工序制作，使产品皮薄均匀、筋力强。

1. The three-wheel main machine can cooperate with other supporting equipment to produce various types of pastry bread food. The prefabricated surface is entered into the main machine through the photoelectric control conveyor belt, and is then transported to the back-end equipment after two times of surface shaping, thinning and rolling.

2. The use of a number of advanced technologies set photoelectric induction, electromagnetic induction, human-machine interface, microcomputer programming, bionic technology, etc., a high degree of automation.

3. Multi-process production, so that the product skin thickness is uniform, tendon stability.

三道轮主机

Three main wheel



三道轮主机-加长款

Three-wheel main engine-extended



外形尺寸 Overall dimensions	3668 x 820 x 1755mm (L x W x H)
电力信息 Power information	220V/2.9KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 475kg
外观材质 Appearance material	不锈钢 Stainless steel

外形尺寸 Overall dimensions	3833 x 700 x 1475mm (L x W x H)
电力信息 Power information	220V/3KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 530kg
外观材质 Appearance material	不锈钢 Stainless steel

外形尺寸 Overall dimensions	5325 x 700 x 1475mm (L x W x H)
电力信息 Power information	220V/3KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 1530kg
外观材质 Appearance material	不锈钢 Stainless steel

通勤志远 创新致存



立式挤馅机

Vertical filling machine

产品特点

PRODUCT FEATURES

1. 将馅料放入馅料桶内，经过一道垂直式挤馅片，向下送料后，由一道螺旋式入料管送出。
 2. 适用于肉馅、豆沙、五仁馅料、椰奶水蜜薯、各种汤羹。
 3. 采用垂直送料设计，降低物料破损率，保持馅料手工风味。
 4. 拆装简单，清洗方便。
 5. 可更换出料嘴大小以适应各种馅料生产所需规格。
 6. 若馅料稠硬，可搭配大功率电机。
1. Put the filling into the filling bucket, pass a vertical filling plate, feed the filling into the filling tube, and then send it out of the filling tube.
 2. Used for meat filling, vegetable filling, bean paste, five kernel filling, fruit jam, all kinds of spread.
 3. Vertical feeding design is adopted to reduce the damage to physical properties of filling.
 4. Simple disassembly and easy cleaning.
 5. The size of the discharge nozzle can be changed to produce the required fillings.
 6. If the filling is hard, you can choose a high-horsepower motor.



外形尺寸 Overall dimensions	580 x 750 x 1470mm (L x W x H)
电力信息 Power information	220V/0.8KW (视产品大小而定)
生产能效 Production Energy Efficiency	约 90kg
重量 Weight	不锈钢 Stainless steel

流心转子泵


Flow core rotor pump

产品特点

PRODUCT FEATURES

1. 将馅料放入馅料桶内，经过一道垂直式挤馅片，向下送料后，由一道螺旋式出料管送出。
 2. 适用于肉馅、豆沙、五仁馅料、椰奶水蜜薯、各种汤羹。
 3. 拆装简单，清洗方便。
1. Put the sauce into the sauce bucket, pass through a vertical filling sheet, feed down, and a screw will automatically send the filling out.
 2. Used for fruit jam, blowing moon cake filling all kinds of sauce.
 3. Simple disassembly and easy cleaning.

外形尺寸 Overall dimensions	460 x 510 x 1300mm (L x W x H)
电力信息 Power information	220V/0.3KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 50kg
外观材质 Appearance material	不锈钢 Stainless steel



双 / 叁斗馅中馅挤馅机


Double/three bucket filling medium filling squeezing machine

产品特点

PRODUCT FEATURES

1. 双 / 叁斗垂直挤馅设计，全不锈钢机身设计，卫生干净。
 2. 适用于肉馅、豆沙、五仁馅料、椰奶水蜜薯、各种汤羹。
 3. 采用双 / 叁斗送料设计，降低物料破损率，保持馅料手工风味。
1. Double/triple filling filling all stainless steel body design, sanitary and clean.
 2. It can be designed according to the height of the main body, and is an essential part for the production of egg yolk crisp and danish cake.
 3. It can be designed according to the height of the main body, and is an essential part for the production of egg yolk crisp and danish cake.

外形尺寸 Overall dimensions	1150 x 1000 x 1600mm (L x W x H)
电力信息 Power information	220V/2.4KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 400kg
外观材质 Appearance material	不锈钢 Stainless steel





6 刀酥皮捏花机

6 knife pastry kneader

产品特点

1. 采用 6 片刀设计, 1 个出料口 (可以选多个), 刀具材质为日本进口 食品级专用材料, 可拆卸更替清洗, 符合卫生要求, 并有多种吨刀、花刀可适配。
2. 设有自动润滑装置, 在高速度长期运转下, 降低刀具磨损。
3. 输送带可独立调速, 并有间歇及连续运转双重功能。
4. 设计自动顶升装置, 可调整顶升高度, 满足各种产品所需。

1. Uses 6 knives design, 1 outlet (can choose more than) the tool material is imported from Japan food-grade special materials, removable replacement cleaning, in line with health requirements, and there are a variety of round knives, flower knives can be selected.

2. Equipped with automatic lubrication device, it can reduce tool wear under high-speed long-term operation.

3. The conveyor belt can independently control the speed, and has the dual function of intermittent stop and continuous operation.

4. Design automatic lifting device, which can adjust the lifting height to meet the needs of various products.



外形尺寸 Overall dimensions	1350 x 1100-950mm (L×W×H)
电力信息 Power information	220V/1.5KW
生产能效 Production Energy Efficiency	50-160 个 / 分钟 (视产品之而定)
重量 Weight	约 200kg
外观材质 Appearance material	不锈钢 Stainless steel

6 刀酥皮捏花机-磕头款

6 pastry kneading machine-kowtow

产品特点

1. 采用 6 片刀设计, 1 个出料口 (可以选多个), 刀具材质为日本进口 食品级专用材料, 可拆卸更替清洗, 符合卫生要求, 并有多种吨刀、花刀可适配。
2. 设有自动润滑装置, 在高速度长期运转下, 降低刀具磨损。
3. 输送带可独立调速, 并有间歇及连续运转双重功能。
4. 设计自动顶升装置, 可调整顶升高度, 满足各种产品所需。

1. Uses 6 knives design, 1 outlet (can choose more than) the tool material is imported from Japan food-grade special materials, removable replacement cleaning, in line with health requirements, and there are a variety of round knives, flower knives can be selected.

2. Equipped with automatic lubrication device, it can reduce tool wear under high-speed long-term operation.

3. The conveyor belt can independently control the speed, and has the dual function of intermittent stop and continuous operation.

4. Design automatic lifting device, which can adjust the lifting height to meet the needs of various products.



外形尺寸 Overall dimensions	1200 x 900 x 700mm (L×W×H)
电力信息 Power information	220V/1.5KW
生产能效 Production Energy Efficiency	60-120 个 / 分钟 (视产品之而定)
重量 Weight	约 150kg
外观材质 Appearance material	不锈钢 Stainless steel

9 刀面包捏花机

9 blade bread kneader

产品特点

1. 采用 9 片刀设计 (9 片刀或 12 片刀) 设计, 1 个出料口 (可以选多个), 刀具材质为日本进口食品级专用材料, 可拆卸更替清洗, 符合卫生要求, 并有多种吨刀、花刀可适配。
2. 设有自动润滑装置, 在高速度长期运转下, 降低刀具磨损。
3. 输送带可独立调速, 并有间歇及连续运转双重功能。
4. 设计自动顶升装置, 可调整顶升高度, 满足各种产品所需。

1. 9 knife design (9 knives or 12 knives) design, 1 discharge port (can choose more than) tool material is imported from Japan food-grade special materials, removable replacement cleaning, in line with health requirements, and there are a variety of round knives, flower knives can be selected.

2. Equipped with automatic lubrication device, it can reduce tool wear under high-speed long-term operation.

3. The conveyor belt can independently control the speed, and has the dual function of intermittent stop and continuous operation.

4. Design automatic lifting device, which can adjust the lifting height to meet the needs of various products.



外形尺寸 Overall dimensions	1350 x 750 x 960mm (L×W×H)
电力信息 Power information	220V/1.8KW
生产能效 Production Energy Efficiency	50-90 个 / 分钟 (视产品之而定)
重量 Weight	约 270kg
外观材质 Appearance material	不锈钢 Stainless steel

9 刀面包双捏花机-输送带款

9-dolar bread double kneading machine-conveyor money

产品特点

1. 采用 9 片刀设计 (9 片刀或 12 片刀) 设计, 1 个出料口 (可以选多个), 刀具材质为日本进口食品级专用材料, 可拆卸更替清洗, 符合卫生要求, 并有多种吨刀、花刀可适配。
2. 设有自动润滑装置, 在高速度长期运转下, 降低刀具磨损。
3. 输送带可独立调速, 并有间歇及连续运转双重功能。
4. 设计自动顶升装置, 可调整顶升高度, 满足各种产品所需。

1. 9 knife design (9 knives or 12 knives) design, 1 discharge port (can choose more than) tool material is imported from Japan food-grade special materials, removable replacement cleaning, in line with health requirements, and there are a variety of round knives, flower knives can be selected.

2. Equipped with automatic lubrication device, it can reduce tool wear under high-speed long-term operation.

3. The conveyor belt can independently control the speed, and has the dual function of intermittent stop and continuous operation.

4. Design automatic lifting device, which can adjust the lifting height to meet the needs of various products.



外形尺寸 Overall dimensions	1360 x 1100 x 1400mm (L×W×H)
电力信息 Power information	220V/2.1KW
生产能效 Production Energy Efficiency	100-180 个 / 分钟 (视产品之而定)
重量 Weight	约 340kg
外观材质 Appearance material	不锈钢 Stainless steel



喷蛋撒芝麻机

Eggspraying and sesame seed sprinkling machine

产品特点

PRODUCT FEATURES

外形尺寸 Overall dimensions	1515×620×1320mm (L×W×H)
电机功率 Power information	220V/1.9KW
生产能力 Production Energy Efficiency	50~160个/分钟 (视产品大小而定)
重量 Weight	约 130kg
外观材质 Appearance material	不锈钢 Stainless steel



供油机

Oil supply

产品特点

PRODUCT FEATURES

改变传统的一机一用，一台可为1、6个出口，占用位置小，采用双螺旋防堵塞设计，使出力更稳定。

Change the traditional one machine, one machine can be divided into 1-6 outlets, occupying less space, using double spiral anti-clogging design, making the output more stable.

外形尺寸 Overall dimensions	1450×2370×1560mm (L×W×H)
电机功率 Power information	220V/2KW
生产能力 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 585kg
外观材质 Appearance material	不锈钢 Stainless steel



铺纸机

Paper spreader

产品特点

PRODUCT FEATURES

铺纸机为一种适用于烘焙生产的企业制作包子、馒头等食品的全自动铺纸设备，可根据用户需求对铺纸的长度、出纸速度等参数进行自由修改，并可对配方进行存储于电脑中。

1. 出纸速度、出纸长度可调整。
2. 触屏控制，操作便捷。
3. 所有与食品接触部分均为不锈钢材料食品级塑料，卫生、安全、高效。
4. 人性化操作系统，简单易懂，控制系统自带记忆功能，能记忆不同产品的设置参数，生产时直接调出即可使用。

The paper laying machine is an automatic packing paper equipment suitable for large-scale food enterprises to make steamed buns, steamed buns, steamed buns, buns, etc. according to the needs of users, and automatically store the formula in the computer.

1. suitable for steamed buns, steamed buns, buns, buns and other pasty products automatic past paper.
2. servo control, adjustable length.
3. All parts in contact with food are made of stainless steel and food-grade plastic, which is hygienic, safe and efficient.
4. humanized operating system, simple to understand, the control system has memory function, can remember the setting parameters of different products, and can be used directly during production, convenient and fast.

外形尺寸 Overall dimensions	1390 × 750 × 1060mm (L×W×H)
电机功率 Power information	220V/1.5KW
生产能力 Production Energy Efficiency	30~100个/分钟 (视产品大小而定)
重量 Weight	约 180kg
外观材质 Appearance material	不锈钢 Stainless steel



旋转刷蛋机

Rotary egg brushing machine

产品特点

PRODUCT FEATURES

外形尺寸 Overall dimensions	1219×1060×1200mm (L×W×H)
电机功率 Power information	220V/1KW
生产能力 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 195kg
外观材质 Appearance material	不锈钢 Stainless steel



擀薄机

Rolling machine

产品特点

PRODUCT FEATURES

外形尺寸 Overall dimensions	1300×800×1200mm (L×W×H)
电机功率 Power information	220V/0.6KW
生产能力 Production Energy Efficiency	10~100个/分钟 (视产品大小而定)
重量 Weight	约 150kg
外观材质 Appearance material	不锈钢 Stainless steel



伺服抓包机

Forming machine - servo bag grabbing machine

产品特点

PRODUCT FEATURES

适用于各种颗粒状和片状食品原料的抓包，卫生、安全、高效。

1. 适用于各种颗粒状和片状食品原料的抓包，卫生、安全、高效。

2. 伺服控制，抓包精准。

3. 所有与食品接触部分均为不锈钢材料食品级塑料，卫生、安全、高效。

4. 人性化的操作系统，简单易懂，控制系统自带记忆功能，能记忆不同产品的设置参数，生产时直接调出即可使用，方便快捷。

It is suitable for all kinds of filling buns to achieve the imitation of manual grain effect.

1. It is suitable for all kinds of filling buns to achieve the imitation of manual grain effect.

2. Humanized operating system, simple to understand, the control system has memory function, can remember the setting parameters of different products, and can be used directly during production, convenient and fast.

3. All parts in contact with food are made of stainless steel and food-grade plastic, which is hygienic, safe and efficient.

4. Humanized operating system, simple to understand, the control system has memory function, can remember the setting parameters of different products, and can be used directly during production, convenient and fast.

外形尺寸 Overall dimensions	1405×700×1950mm (L×W×H)
电机功率 Power information	220V/1.6KW
生产能力 Production Energy Efficiency	50~90个/分钟 (视产品大小而定)
重量 Weight	约 250kg
外观材质 Appearance material	不锈钢 Stainless steel



抓包机刀盘

BAG GRABBING MACHINE KNIFE SELECTION



18 颗圆刃 (80-120g)

24 颗圆刃 (80-120g)

24 颗圆刃 (80-120g)

24 颗圆刃 (80-120g)

包馅机 - 单斗分馅机

Filling machine - single bucket filling machine



产品特点		PRODUCT FEATURES
外形尺寸 Overall dimensions	1020×900×1460mm (L×W×H)	
电机功率 Power information	220V/2KW	
生产效率 Production Energy Efficiency	50-100个/分钟 (视产品大小而定)	
重量 Weight	约 395kg	
外观材质 Appearance material	不锈钢 Stainless steel	

包馅机 - 三斗包馅机

Filling Machine - Three Bucket Filling Machine



产品特点		PRODUCT FEATURES
外形尺寸 Overall dimensions	1200×1030×1500mm (L×W×H)	
电机功率 Power information	220V/2.1KW	
生产效率 Production Energy Efficiency	50-120个/分钟 (视产品大小而定)	
重量 Weight	约 500kg	
外观材质 Appearance material	不锈钢 Stainless steel	

包馅机 - 两斗包馅机

Filling Machine - Two Bucket Filling Machine



产品特点		PRODUCT FEATURES
外形尺寸 Overall dimensions	1817×865×1240mm (L×W×H)	
电机功率 Power information	220V/2.9KW	
生产效率 Production Energy Efficiency	50-120个/分钟 (视产品大小而定)	
重量 Weight	约 400kg	
外观材质 Appearance material	不锈钢 Stainless steel	

包馅机 - 四斗包馅机

Filling Machine - Four Bucket Filling Machine



产品特点		PRODUCT FEATURES
外形尺寸 Overall dimensions	1360×900×1600mm (L×W×H)	
电机功率 Power information	220V/3.4KW	
生产效率 Production Energy Efficiency	50-100个/分钟 (视产品大小而定)	
重量 Weight	约 500kg	
外观材质 Appearance material	不锈钢 Stainless steel	

包馅机 - 168 包馅机

Filling Machine - 168 Filling Machine

产品特点 PRODUCT FEATURES

- 采用 PLC 智能触摸屏系统，操作简便方便。
- 产品大小、投料比例、产品长度均可通过 PLC 控制板进行调节。
- 加厚不锈钢 Stainless steel 料斗保持持续动力，易于电脑控制涂油。
- 加厚入盖，防止灰尘，防止产品污染。
- 送料稳定，品质可靠，经久耐用。

适用范围：灌制月饼、蛋黄月饼、流心蛋黄月饼、馅中馅月饼、五仁月饼、冰皮月饼凤梨酥、青团、绿豆酥、糯米糍等各种馅饼食品。

- PLC 智能触摸屏系统，操作简便方便。
- 加厚不锈钢 Stainless steel 料斗保持持续动力，易于电脑控制涂油。
- 加厚入盖，防止灰尘，防止产品污染。
- 送料稳定，品质可靠，经久耐用。

3. The thickened Stainless steel hopper uses Teflon coating, similar to the coating in the rice cooker, anti-stick, wear-resistant and easy to clean, saving time and labor.

Scope of application: paste mooncake, egg yolk mooncake, flowing heart custard mooncake, stuffing mooncake, five kernel mooncake, lotus skin mooncake, glutinous rice cake, glutinous rice and other stews containing food

外形尺寸 Overall dimensions	1700×1000×1750mm (L×W×H)
电机功率 Power information	220V/2.1KW
生产效率 Production Energy Efficiency	20-100个/分钟 (视产品大小而定)
重量 Weight	约 400kg
外观材质 Appearance material	不锈钢 Stainless steel

包馅机 - 178 包馅机

Filling Machine - 178 Filling Machine

产品特点 PRODUCT FEATURES

- 采用 PLC 智能触摸屏系统，操作简便方便。
- 产品大小、投料比例、产品长度均可通过 PLC 控制板进行调节。
- 加厚不锈钢 Stainless steel 料斗保持持续动力，易于电脑控制涂油。
- 加厚入盖，防止灰尘，防止产品污染。
- 送料稳定，品质可靠，经久耐用。

适用范围：灌制月饼、蛋黄月饼、流心蛋黄月饼、馅中馅月饼、五仁月饼、冰皮月饼凤梨酥、青团、绿豆酥、糯米糍等各种馅饼食品。

- PLC 智能触摸屏系统，操作简便方便。
- 加厚不锈钢 Stainless steel 料斗保持持续动力，易于电脑控制涂油。
- 加厚入盖，防止灰尘，防止产品污染。
- 送料稳定，品质可靠，经久耐用。

3. The thickened Stainless steel hopper uses Teflon coating, similar to the coating in the rice cooker, anti-stick, wear-resistant and easy to clean, saving time and labor.

Scope of application: paste mooncake, egg yolk mooncake, flowing heart custard mooncake, stuffing mooncake, five kernel mooncake, lotus skin mooncake, glutinous rice cake, glutinous rice and other stews containing food

外形尺寸 Overall dimensions	1700×1000×1800mm (L×W×H)
电机功率 Power information	220V/2.5KW
生产效率 Production Energy Efficiency	20-100个/分钟 (视产品大小而定)
重量 Weight	约 400kg
外观材质 Appearance material	不锈钢 Stainless steel



成型机 - 双伺服打饼机

Forming Machine - Dual Servo Cake Making Machine

产品特点

PRODUCT FEATURES

双伺服驱动，PLC控制，性能稳定可靠，经久耐用。操作简便，维护方便，易学易懂。噪音低，运转稳定可靠，占地面积小。饼胚成型精度高，重量误差小。重量 Weight 约 150kg

适用范围：适用于各种月饼及相关食品的面胚成型。花紋清晰美观，高速成型。
Using computer screen, PLC control, servo motor; Stable and reliable performance, durable. Simple operation, convenient debugging, easy to master, low noise. The conveyor is foldable and has a small footprint. Cake pattern molding clear and beautiful, high speed molding. Double cylinder power, cake Weight weight in the soil 20% of the case without skirt Angle, clear pattern. Food contact parts are all non-steel and plastic, fully in line with food hygiene standards.

Scope of application: Suitable for all kinds of moon cake and related food cake embryo forming, pattern clear and beautiful, high-speed forming.

外形尺寸 Overall dimensions	1550*560*1290mm (L*W*H)
电机信息 Power information	220V/1.5KW
生产效率 Production Energy Efficiency	30-50 个 / 分钟 (视产品大小而定)
重量 Weight	约 150kg
外观材质 Appearance material	不锈钢 Stainless steel




成型机 - 饺子机 / 烧麦机

4Forming Machine - Dumpling Machine/Roasting Machine

产品特点

PRODUCT FEATURES

外形尺寸 Overall dimensions	2430*1800*1860mm (L*W*H)
电机信息 Power information	220V/3.5KW
生产效率 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 1510kg
外观材质 Appearance material	不锈钢 Stainless steel



300 型预压机

300 type pre press

产品特点

PRODUCT FEATURES

1. 经过预压整形后的面团更容易与后道成型设备相匹配。
1. The dough after pre-pressing is easier to match with the subsequent forming equipment.
2. 预压后的面团更均匀，成型更稳定，确保产品重量 Weight、形状更稳定。
2. The dough after pre-pressing is more uniform, the forming is more stable, ensuring the product weight, shape is more stable.
3. 预压工艺简单易懂，易于操作。
3. The pre-pressing process is simple and easy to understand, easy to operate.

1. The thickness and height of the dough strip after pre-compression segmentation and shaping are more matching with the back surface molding equipment.
2. Further improve the ductility and luster of the dough, increase the gluten of the dough and the fine density of the tissue, and ensure that the Weight and shape of the product are more stable.
3. The machine is widely used in bread pastry and other baked food processing industry.

外形尺寸 Overall dimensions	2550*680*1300mm (L*W*H)
电机信息 Power information	220V/1.5KW
生产效率 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 410kg
外观材质 Appearance material	不锈钢 Stainless steel



400 型喂料系统

Model 400 feed system

产品特点

PRODUCT FEATURES

外形尺寸 Overall dimensions	6730*1120*1900mm (L*W*H)
电机信息 Power information	220V/1.6KW
生产效率 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 845kg
外观材质 Appearance material	不锈钢 Stainless steel



面团分割设备

Uphill blocking equipment



产品特点

1. 自动分团原理，节省劳动力，提升产量，形状更稳定。
2. 提升面团品质，提升生产效率，提高面团品质。
3. 与压面机配合使用，提高生产效率。

1. the automatic division surface to the required width and thickness, so that the product weight, shape is more stable.

2. Improve the quality of the dough, improve production efficiency, improve the quality of the dough.

3. Linkage production with the surface press to improve production efficiency.

外形尺寸 Overall dimensions	3300×680×1300mm (L×W×H)
电力信息 Power information	380 V / 5KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 300kg
外观材质 Appearance material	不锈钢 Stainless steel

290 型压面机

290 type noodle press



产品特点

外形尺寸 Overall dimensions	1550×630×1530mm (L×W×H)
电力信息 Power information	220V/0.5KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 270kg
外观材质 Appearance material	不锈钢 Stainless steel

420 型压面机

420 type noodle press

产品特点

1. 取代手工擀面，利用多次 S 型碾压，压出面团的弹性。
 2. 可计算及控制面团厚度。
 3. 可调节面团厚度，提升面团品质。
 4. 提升面团品质，提升生产效率。
 5. 设有紧急安全开关，安全屏及围栏，确保操作人员在工作时的人身安全。
 6. 提升产量，提升生产效率。
- 增加面团弹性与面团的韧性。

1. instead of hand-rolling noodles, the use of multiple S-shaped pressure, pressure the tendon of the group

2. Use the control handle next to the machine to adjust the whole pressure thickness of the dough.

3. Use the timer function, control the length of time when the machine automatically stops after the output of the surface

4. using the timer function, control the length of time when the machine automatically stops after the output of the surface

5. emergency safety switch, safety screen and fence, to ensure the operator's personal safety when operating the machine

6. used in bread, pastry, steamed buns and other food processing industry, automatically complete the kneading, rolling and other functions of the surface belt. Improve the ductility gloss of dough, increase the tendon property and the tendon density of the face.



外形尺寸 Overall dimensions	1600×1100×1420mm (L×W×H)
电力信息 Power information	380V/5KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 650kg
外观材质 Appearance material	不锈钢 Stainless steel

自动接面机

Automatic bonding machine



产品特点

外形尺寸 Overall dimensions	3980×780×1210mm (L×W×H)
电力信息 Power information	220V/2.4KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 550kg
外观材质 Appearance material	不锈钢 Stainless steel



T600 自动起酥机 YSN -600Z

T600 automatic shortening machine

产品特点

- 触屏屏自动控制程序，压面滚轴由电机下压全自动控制而无需人工调整。
- 程序可存储 99 个不同配方。
- 压面滚轴采用 316 不锈钢材质，且可拆卸。
- 压面滚轴经过 3 级加工工艺处理，抛光、喷砂、精工加工，高频率抛光处理滚轴表面，高频率抛光处理滚轴不生锈。
- 智能调速功能，上下一体化控制设计方便检修，皮带传动动于滚轴皮带。

Touch screen automatic control system, press roller servo motor down automatic control of the surface to store 99 different formulas.

2. Automatic reversing by the clutch control advantage: strong durability, almost zero failure rate.

3. Press roller made of 316 stainless steel, and can be disassembled for easy maintenance. The high frequency chromium plating to increase hardness, fine grinding to ensure the accuracy of the roller guide, high speed grade conveyor belts, drive one disassembly scraper design is convenient and quick, quick folding of the belt is easy to clean the belt.



外形尺寸 Overall dimensions	4050×1100×1260mm (L×W×H)
电力信息 Power information	220V/2KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 280kg
外观材质 Appearance material	不锈钢 Stainless steel

裹粉机

Powder wrapping machine



产品特点

外形尺寸 Overall dimensions	2000×600×1600mm (L×W×H)
电力信息 Power information	380 V /2KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 150kg
外观材质 Appearance material	不锈钢 Stainless steel

翻缸和面机

Alignment machine

产品特点

- 取件手工便捷。
 - 机身整体 1.5 不锈钢材质，无电机油污染等高温油污染等污染。
 - 高强度材料采用设计滚轴结构，与 6MM 滚轴接触。
 - 可设置自动和面时间同时手动操作方便简单翻缸过程，手翻开关自动停止设计提高安全操作。
1. Instead of manual noodles.
2. The fuselage as a whole 1.5 stainless steel plate wrapped, no due to the fuselage paint off caused by dough pollution.
3. High-strength steel structure frame design top box bottom box 16MM thick bridge steel plate
4. can set automatic and face time program or manual operation is convenient and simple cylinder tuning process, hand off automatic-shutdown design to improve safety operation

产品特点

外形尺寸 Overall dimensions	75KG 1465×1467×1415mm (L×W×H)
电力信息 Power information	380V/12.5KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 750kg
外观材质 Appearance material	不锈钢 Stainless steel
外形尺寸 Overall dimensions	100KG 1551×1608×1450mm (L×W×H)
电力信息 Power information	380V/16.5KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 100kg
外观材质 Appearance material	不锈钢 Stainless steel
外形尺寸 Overall dimensions	125KG 1600×1698×1520mm (L×W×H)
电力信息 Power information	380V/21KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 125kg
外观材质 Appearance material	不锈钢 Stainless steel
外形尺寸 Overall dimensions	150KG 1690×1708×1520mm (L×W×H)
电力信息 Power information	380V/21KW
生产能效 Production Energy Efficiency	(视产品大小而定)
重量 Weight	约 145kg
外观材质 Appearance material	不锈钢 Stainless steel



连续面团分割机 continuous Dough Dividing Machine

产品特点

1. 本机适用于连续生产多种不同产品，包括面包、披萨、月饼皮、麻球等等，适用范围广。
2. 易于清洁和维护，可拆卸的刀片，防止面团粘附，方便清洗和拆卸。
3. 精准的分量，防止面团浪费。
4. 面团分割精确，确保分割产品的一致性，防止粘连。
5. 人性化设计，易于操作，增加操作便捷性。
6. 人体工学设计，降低噪音，增加操作舒适度。
7. 面团分割重量精度 ±1%。

1. Highly versatile, it can be continuously used and configured for a vast variety of bakery food include breads, pizza, dough, cake, skin, glutinous rice, sesame ball and many more baked products.
2. Easy access for cleaning and maintenance thanks to its retractable SUS304 shiving blades.
3. Precise division, prevent dough waste.
- 3.1 Teflon coated that has prevent sticking.
4. Light and perfect pressure on dough ensuring uniform consistency and texture.
5. Ergonomically designed lid that provides increased storage area.
6. Humanized design, easy to operate.
7. Dividing accuracy: ±1mm.

全自动锥形搓圆机 Automatic Cone Dough Roulder Machine



产品特点

1. 本机适用于连续生产多种不同产品，包括面包、披萨、月饼皮、麻球等等，适用范围广。
 2. 易于清洁和维护，可拆卸的刀片，防止面团粘附。
 3. 精准的分量，防止面团浪费。
 4. 面团分割精确，确保分割产品的一致性，防止粘连。
 5. 人性化设计，易于操作，增加操作便捷性。
 6. 人体工学设计，降低噪音，增加操作舒适度。
 7. 面团分割重量精度 ±1%。
1. Highly versatile, it can be continuously used and configured for a vast variety of bakery food include breads, pizza, dough, cake, skin, glutinous rice, sesame ball and many more baked products.
 2. Easy access for cleaning and maintenance.
 3. Precise division, prevent dough waste.
 - 3.1 Teflon coated that has prevent sticking.
 4. Aluminum cone-shaped guider-roll with accurate connection ensure the dough in a perfect round shape.
 5. Working zone, or integrated with Dough divider, fermentation machine or shaping line.
 6. Ergonomically designed lid that provides increased storage area.
 7. Building safety zones for easy mobility.

机身体积 / Body Building	全 304 不锈钢 (Full SUS 304)
产能 / Productivity	8000 个 / 小时 (8000pcs/hour)
面团重量范围 / Rounding Weight Range	25-90g
机身尺寸 / Size	AC330
功率 / Power	0.4 千瓦 (0.4KW)
机器重量 / Machine Weight	200 公斤 (200kg)
机器尺寸 / Overall Dimension	850X650X1450mm



产能 / Productivity	48000 个 / 小时 (48000 pcs/hour)
面团重量范围 / Divide Weight Range	20-10000 个 / 小时 (20000 pcs/hour)
机身尺寸 / Size	4P115-80 系列 (2P120-100 系列) / 2P150-250 系列 / 1P1100-500 系列
功率 / Power	AC330/59Hz
机器重量 / Machine Weight	1.5KW
机器尺寸 / Overall Dimension	约 420KG
	880X1200X1500mm

产品特点

1. 本机适用于连续生产多种不同产品，包括面包、披萨、月饼皮、麻球等等，适用范围广。
2. 易于清洁和维护，可拆卸的刀片，防止面团粘附。
3. 精准的分量，防止面团浪费。
4. 面团分割精确，确保分割产品的一致性，防止粘连。
5. 人性化设计，易于操作，增加操作便捷性。
6. 人体工学设计，降低噪音，增加操作舒适度。
7. 面团分割重量精度 ±1%。

产品特点

1. 本机适用于连续生产多种不同产品，包括面包、披萨、月饼皮、麻球等等，适用范围广。
2. 易于清洁和维护，可拆卸的刀片，防止面团粘附。
3. 精准的分量，防止面团浪费。
4. 面团分割精确，确保分割产品的一致性，防止粘连。
5. 人性化设计，易于操作，增加操作便捷性。
6. 人体工学设计，降低噪音，增加操作舒适度。
7. 面团分割重量精度 ±1%。

